

Pandora event display

Part 2: Visualizing the algorithms

Dom Brailsford for the Pandora team

08/09/2022


UK-Latin America LArSoft Workshop



WARWICK

Reconstruction session

WARWICK



Credit: These slides are based on previous LArSoft workshop slides by Andrew Smith

Key references:

[Pandora ProtoDUNE paper](#)
[Pandora MicroBooNE paper](#)

Goals



- This session scheduled for 45 minutes
- Main goal - Visualize the status of the pattern-recognition after each main stage
 - Add the visual monitoring algorithm to the Pandora configuration XML file after running the:
 - 2D reconstruction
 - 3D vertex reconstruction
 - Track & Shower reconstruction & particle refinement
 - 3D hit reconstruction
 - Neutrino hierarchy reconstruction
- Please don't worry if you don't get through all of the steps
 - This session is just for you to get some intuition for what Pandora's algorithms do

Main Goal



Visualize the algorithms


The neutrino algorithm chain

- Go to our config directory and make a copy of the Pandora **neutrino** XML settings file

```
$ cd $MRB_TOP/reco/config  
$ cp $LARPANDORA_DIR/scripts/PandoraSettings_Neutrino_Standard.xml MyPandoraSettings_Neutrino_Standard.xml  
$ vim MyPandoraSettings_Neutrino_Standard.xml
```

- Look through the file for the sections listed below:

```
<!-- TwoDReconstruction -->  
<!-- VertexAlgorithms -->  
<!-- ThreeDTrackAlgorithms -->  
<!-- ThreeDShowerAlgorithms -->  
<!-- Repeat ThreeDTrackAlgorithms -->  
<!-- ThreeDRecoveryAlgorithms -->  
<!-- TwoDMopUpAlgorithms -->  
<!-- ThreeDHitAlgorithms -->  
<!-- ThreeDMopUpAlgorithms -->  
<!-- NeutrinoAlgorithms -->  
<!-- Track and shower building -->
```



We're not running the event slicing because we don't have cosmics to deal with

Point to our neutrino settings file

- Modify `MyPandoraSettings_Master_Standard.xml` and point it to our new neutrino settings file
- Remove the visual monitoring algorithms that we've been using so far

+ MyPandoraSettings_Master_Standard.xml

```
<pandora>
  <!-- GLOBAL SETTINGS -->
  <IsMonitoringEnabled>true</IsMonitoringEnabled>
  <ShouldDisplayAlgorithmInfo>true</ShouldDisplayAlgorithmInfo>
  <SingleHitTypeClusteringMode>true</SingleHitTypeClusteringMode>

  <!-- ALGORITHM SETTINGS -->
  <algorithm type = "LArPreProcessing">
    <OutputCaloHitListNameU>CaloHitListU</OutputCaloHitListNameU>
    <OutputCaloHitListNameV>CaloHitListV</OutputCaloHitListNameV>
    <OutputCaloHitListNameW>CaloHitListW</OutputCaloHitListNameW>
    <FilteredCaloHitListName>CaloHitList2D</FilteredCaloHitListName>
    <CurrentCaloHitListReplacement>CaloHitList2D</CurrentCaloHitListReplacement>
  </algorithm>

  <algorithm type = "LArVisualMonitoring">
    <CaloHitListNames>CaloHitListU CaloHitListV CaloHitListW</CaloHitListNames>
    <ShowDetector>true</ShowDetector>
  </algorithm>

  <algorithm type = "LArMaster">
    <CRSettingsFile>PandoraSettings_Cosmic_Standard.xml</CRSettingsFile>
    <NuSettingsFile>MyPandoraSettings_Neutrino_Standard.xml</NuSettingsFile>
    <SlicingSettingsFile>PandoraSettings_Slicing_Standard.xml</SlicingSettingsFile>

    ... more settings ...

    <algorithm type = "LArVisualMonitoring">
      <ShowCurrentPfos>true</ShowCurrentPfos>
      <ShowDetector>true</ShowDetector>
    </algorithm>
</pandora>
```

Remove this algorithm block

Change this line to point to
`PandoraSettings_Neutrino_Standard.xml`

Remove this algorithm block

2D reconstruction

Add in some visualizations

WARWICK

- Add to `MyPandoraSettings_Neutrino_Standard.xml` at the end of the `TwoDReconstruction` section

```

../c/MyPandoraSettings_Neutrino_Standard.xml
<pandora>
  <!-- Output list management -->
  <!-- GLOBAL SETTINGS -->
  <IsMonitoringEnabled>true</IsMonitoringEnabled>
  <ShouldDisplayAlgorithmInfo>true</ShouldDisplayAlgorithmInfo>
  <SingleHitTypeClusteringMode>true</SingleHitTypeClusteringMode>

  ... more settings ...

  <algorithm type = "LArKinkSplitting"/>
  <algorithm type = "LArTrackConsolidation">
    <algorithm type = "LArSimpleClusterCreation" description = "ClusterRebuilding"/>
  </algorithm>

  <algorithm type = "LArVisualMonitoring">
    <CaloHitListNames>CaloHitListU</CaloHitListNames>
    <ClusterListNames>ClustersU</ClusterListNames>
    <ShowDetector>true</ShowDetector>
  </algorithm>

  <algorithm type = "LArVisualMonitoring">
    <CaloHitListNames>CaloHitListV</CaloHitListNames>
    <ClusterListNames>ClustersV</ClusterListNames>
    <ShowDetector>true</ShowDetector>
  </algorithm>

  <algorithm type = "LArVisualMonitoring">
    <CaloHitListNames>CaloHitListW</CaloHitListNames>
    <ClusterListNames>ClustersW</ClusterListNames>
    <ShowDetector>true</ShowDetector>
  </algorithm>

  <!-- VertexAlgorithms -->
  <algorithm type = "LArCandidateVertexCreation">
    <InputClusterListNames>ClustersU ClustersV ClustersW</InputClusterListNames>
    <OutputVertexListNames>CandidateVertices3D</OutputVertexListName>
    <ReplaceCurrentVertexList>true</ReplaceCurrentVertexList>
  </algorithm>

```

Set this to **true** - this will print to the terminal all of the algorithms we are running

Modify the **Neutrino** file not the **Master** settings file

Add these visual monitoring blocks. When we run, this will make 3 event displays - each showing the **hits** and **clusters** in the U, V and W views respectively

Add the above lines just before the **VertexAlgorithms** section

Visualizing the initial 2D reconstruction

WARWICK

```
$ cd $MRB_TOP/reco/work
```

```
$ lar -c event_display_driver.fcl -s reco_1mu1p.root -n 1
```

Let's just look at 1 event for now!

Can also run on pre-made reco file in
/home/share/september2022/reconstruction/reco_1mu1p.root


2D clustering
algorithms in
the U-view

2D clustering
algorithms in
the V-view

2D clustering
algorithms in
the W-view

First visualization

```
> Running Algorithm: Alg0001, LARPreProcessing
> Running Algorithm: Alg0002, LARClusteringParent
----> Running Algorithm: Alg0003, LARTrackClusterCreation
> Running Algorithm: Alg0004, LARLayerSplitting
> Running Algorithm: Alg0005, LARLongitudinalAssociation
> Running Algorithm: Alg0006, LARTransverseAssociation
> Running Algorithm: Alg0007, LARLongitudinalExtension
> Running Algorithm: Alg0008, LARTransverseExtension
> Running Algorithm: Alg0009, LARCrossGapsAssociation
> Running Algorithm: Alg0010, LARCrossGapsExtension
> Running Algorithm: Alg0011, LAROvershootSplitting
> Running Algorithm: Alg0012, LARBranchSplitting
> Running Algorithm: Alg0013, LARKinkSplitting
> Running Algorithm: Alg0014, LARTrackConsolidation
> Running Algorithm: Alg0016, LARClusteringParent
----> Running Algorithm: Alg0017, LARTrackClusterCreation
> Running Algorithm: Alg0018, LARLayerSplitting
> Running Algorithm: Alg0019, LARLongitudinalAssociation
> Running Algorithm: Alg0020, LARTransverseAssociation
> Running Algorithm: Alg0021, LARLongitudinalExtension
> Running Algorithm: Alg0022, LARTransverseExtension
> Running Algorithm: Alg0023, LARCrossGapsAssociation
> Running Algorithm: Alg0024, LARCrossGapsExtension
> Running Algorithm: Alg0025, LAROvershootSplitting
> Running Algorithm: Alg0026, LARBranchSplitting
> Running Algorithm: Alg0027, LARKinkSplitting
> Running Algorithm: Alg0028, LARTrackConsolidation
> Running Algorithm: Alg0030, LARClusteringParent
----> Running Algorithm: Alg0031, LARTrackClusterCreation
> Running Algorithm: Alg0032, LARLayerSplitting
> Running Algorithm: Alg0033, LARLongitudinalAssociation
> Running Algorithm: Alg0034, LARTransverseAssociation
> Running Algorithm: Alg0035, LARLongitudinalExtension
> Running Algorithm: Alg0036, LARTransverseExtension
> Running Algorithm: Alg0037, LARCrossGapsAssociation
> Running Algorithm: Alg0038, LARCrossGapsExtension
> Running Algorithm: Alg0039, LAROvershootSplitting
> Running Algorithm: Alg0040, LARBranchSplitting
> Running Algorithm: Alg0041, LARKinkSplitting
> Running Algorithm: Alg0042, LARTrackConsolidation
> Running Algorithm: Alg0044, LARVisualMonitoring
PandoraMonitoring::InitializeEve(): DISPLAY environment set to :1001.0
Press return to continue ...
```



Initial 2D reconstruction – U View

WARWICK



Wheel up - zoom out
Wheel down - zoom in
Wheel press + drag - pan viewport




W - wireframe mode
R - return from wireframe mode

Turn off the hits, we've included them so you can always refer back to the inputs if you like

Expand the list of clusters

Try turning on and off some of the clusters so you can see what they correspond to in the viewer

Clusters are ordered by the total energy deposited



Looking at the other views


Click in the terminal window
and press Return ↵ to
visualize the other views

```
<algorithm type = "LArVisualMonitoring">
  <CaloHitListNames>CaloHitListU</CaloHitListNames>
  <ClusterListNames>ClustersU</ClusterListNames>
  <ShowDetector>true</ShowDetector>
</algorithm> Return ↵


<algorithm type = "LArVisualMonitoring">
  <CaloHitListNames>CaloHitListV</CaloHitListNames>
  <ClusterListNames>ClustersV</ClusterListNames>
  <ShowDetector>true</ShowDetector>
</algorithm> Return ↵

<algorithm type = "LArVisualMonitoring">
  <CaloHitListNames>CaloHitListW</CaloHitListNames>
  <ClusterListNames>ClustersW</ClusterListNames>
  <ShowDetector>true</ShowDetector>
</algorithm> Return ↵
```


WARWICK



U view clusters



V view clusters



W view clusters

3D vertex reconstruction

Add in some more visualizations

WARWICK

- Add to `MyPandoraSettings_Neutrino_Standard.xml` at the end of the `VertexAlgorithms` section

```
<!-- VertexAlgorithms -->
<algorithm type = "LArCandidateVertexCreation">
  <InputClusterListNames>ClustersU ClustersV ClustersW</InputClusterListNames>
  <OutputVertexListName>CandidateVertices3D</OutputVertexListName>
  <ReplaceCurrentVertexList>true</ReplaceCurrentVertexList>
  <EnableCrossingCandidates>>false</EnableCrossingCandidates>
</algorithm>
<algorithm type = "LArEnergyKickVertexSelection">
  <InputCaloHitListNames>CaloHitListU CaloHitListV CaloHitListW</InputCaloHitListNames>
  <InputClusterListNames>ClustersU ClustersV ClustersW</InputClusterListNames>
  <OutputVertexListName>NeutrinoVertices3D</OutputVertexListName>
  <ReplaceCurrentVertexList>true</ReplaceCurrentVertexList>
  <FeatureTools>
    <tool type = "LArEnergyKickFeature"/>
    <tool type = "LArLocalAsymmetryFeature"/>
  </FeatureTools>
</algorithm>
<algorithm type = "LArVertexSplitting">
  <InputClusterListNames>ClustersU ClustersV ClustersW</InputClusterListNames>
</algorithm>

<algorithm type = "LArVisualMonitoring">
  <ClusterListNames>ClustersW</ClusterListNames>
  <VertexListNames>CandidateVertices3D</VertexListNames>
  <ShowDetector>true</ShowDetector>
</algorithm>

<algorithm type = "LArVisualMonitoring">
  <ClusterListNames>ClustersW</ClusterListNames>
  <VertexListNames>NeutrinoVertices3D</VertexListNames>
  <ShowDetector>true</ShowDetector>
</algorithm>

<!-- ThreeDTrackAlgorithms -->
<algorithm type = "LArThreeDTransverseTracks">
  <InputClusterListNameU>ClustersU</InputClusterListNameU>
  <InputClusterListNameV>ClustersV</InputClusterListNameV>
  <InputClusterListNameW>ClustersW</InputClusterListNameW>
```

The `LArCandidateVertexCreation` algorithm creates a list of 3D candidate vertices at positions that project onto the ends of the existing 2D clusters

The `LArEnergyKickVertexSelection` algorithm selects the neutrino vertex from the candidates

Visualise the 3D candidate vertices along with the W-view clusters for comparison

Visualise the selected neutrino vertex along with the W-view clusters for comparison

Add the above lines just before the `ThreeDTrackAlgorithms` section


Run Pandora again!

- Run our FHiCl file again

```
$ cd $MRB_TOP/reco/work
```

```
$ lar -c event_display_driver.fcl -s reco_1mu1p.root -n 1
```

- After the event display has loaded press Return ↵ three times, to skip through our visualizations from part 1



Candidate 3D vertices vs W-view clusters

WARWICK



Wheel up - zoom out

Wheel down - zoom in

Wheel press + drag - pan viewport




W - wireframe mode

R - return from wireframe mode

Expand the list of candidate vertices - there will be many!

Each vertex here is displayed as a yellow circle in the viewer



In this viewer the 3D vertices are projected into the X-Z plane - this matches up with the W-view clusters

The yellow circles are the candidate vertices


Candidate 3D vertices vs W-view clusters

WARWICK

Expand the list of candidate vertices - there will be many!

Each vertex here is displayed as a yellow circle in the viewer

When you are finished, press Return ↵ to move to the next display



Wheel up - zoom out
Wheel down - zoom in
Wheel press + drag - pan viewport




Left press + drag - rotate 3D view



W - wireframe mode
R - return from wireframe mode

Selected neutrino vertex vs W-view clusters

WARWICK



Wheel up - zoom out


Wheel down - zoom in

Wheel press + drag - pan viewport



W - wireframe mode

R - return from wireframe mode



Expand the list of selected neutrino vertices - there should only be one

When you are finished, press Return ↵ to move to the next display

This is the selected neutrino vertex

3D track & shower reconstruction

Add in some more visualizations

- Add to `MyPandoraSettings_Neutrino_Standard.xml` at the end of the `TwoDMopUpAlgorithms` section

```

<!-- TwoDMopUpAlgorithms -->
<algorithm type = "LArBoundedClusterMopUp">
  <PfoListNames>ShowerParticles3D</PfoListNames>
  <DaughterListNames>ClustersU ClustersV ClustersW</DaughterListNames>
</algorithm>
<algorithm type = "LArConeClusterMopUp">
  <PfoListNames>ShowerParticles3D</PfoListNames>
  <DaughterListNames>ClustersU ClustersV ClustersW</DaughterListNames>
</algorithm>
<algorithm type = "LArNearbyClusterMopUp">
  <PfoListNames>ShowerParticles3D</PfoListNames>
  <DaughterListNames>ClustersU ClustersV ClustersW</DaughterListNames>
</algorithm>

<algorithm type = "LArVisualMonitoring">
  <PfoListNames>TrackParticles3D ShowerParticles3D</PfoListNames>
  <ShowDetector>true</ShowDetector>
</algorithm>

<!-- ThreeDHitAlgorithms -->
<algorithm type = "LArCutPfoCharacterisation">
  <TrackPfoListName>TrackParticles3D</TrackPfoListName>
  <ShowerPfoListName>ShowerParticles3D</ShowerPfoListName>
  <PostBranchAddition>true</PostBranchAddition>
  <UseThreeDInformation>false</UseThreeDInformation>
</algorithm>

```

Visualize the track-like and shower-like reconstructed particles

Add the above lines just before the `ThreeDHitAlgorithms` section

Run Pandora once again!

```
$ cd $MRB_TOP/reco/work
```

```
$ lar -c event_display_driver.fcl -s reco_1mu1p.root -n 1
```

- After the event display has loaded press Return ↵ five times, to skip through our visualizations from parts 1-2

Reconstructed track & shower-like particles

WARWICK



Wheel up - zoom out
Wheel down - zoom in
Wheel press + drag - pan viewport



W - wireframe mode
R - return from wireframe mode


When you are finished,
press Return ↵ to move
to the next display

Expand all of the menus to see
the clusters at this point and
how they have been matched
together into reconstructed
particles (PFOs)

Here there are 2 track-like
PFOs reconstructed

Hover over a cluster to see
which view it belongs to - in
this case it's the W view

In this event there are no
shower-like particles to see



3D hit reconstruction

Add in some more visualizations

- Add to `MyPandoraSettings_Neutrino_Standard.xml` at the end of the `ThreeDHitAlgorithms` section

```

<!-- ThreeDHitAlgorithms -->
<!-- HitCreationTools -->
<!-- HitCreationTools -->
<!-- HitCreationTools -->
<!-- HitCreationTools -->
</HitCreationTools>
</algorithm>
<algorithm type = "LArThreeDHitCreation">
  <InputPfoListName>ShowerParticles3D</InputPfoListName>
  <OutputCaloHitListName>ShowerCaloHits3D</OutputCaloHitListName>
  <OutputClusterListName>ShowerClusters3D</OutputClusterListName>
  <HitCreationTools>
    <tool type = "LArThreeViewShowerHits"/>
    <tool type = "LArTwoViewShowerHits"/>
    <tool type = "LArDeltaRayShowerHits"/>
  </HitCreationTools>
</algorithm>

<algorithm type = "LArVisualMonitoring">
  <PfoListNames>TrackParticles3D ShowerParticles3D</PfoListNames>
  <ShowDetector>true</ShowDetector>
</algorithm>

<!-- ThreeDMopUpAlgorithms -->
<algorithm type = "LArSlidingConePfoMopUp">
  <InputPfoListNames>TrackParticles3D ShowerParticles3D</InputPfoListNames>
  <DaughterListNames>ClustersU ClustersV ClustersW TrackClusters3D ShowerClusters3D</DaughterListNames>
</algorithm>

```

Visualize the reconstructed particles again

Add the above lines just before the `ThreeDMopUpAlgorithms` section

Run Pandora once again!

```
$ cd $MRB_TOP/reco/work
```

```
$ lar -c event_display_driver.fcl -s reco_1mu1p.root -n 1
```

- After the event display has loaded press Return ↵ six times, to skip through our visualisations from parts 1-3


3D hits

When you are finished,
press Return ↵ to close
the event display

Expand all of the menus again
to see what we now have

Our PFOs now have a new
cluster of **3D hits** that we
have just created

Note that we use different
3D hit creation algorithms
depending on the PFOs
track-shower classification



WARWICK



Wheel up - zoom out
Wheel down - zoom in
Wheel press + drag - pan viewport



Left press + drag - rotate 3D view



W - wireframe mode
R - return from wireframe mode

Neutrino hierarchy reconstruction

Add in some more visualizations

- Add to `MyPandoraSettings_Neutrino_Standard.xml` at the end of the file

```

</algorithm>
<algorithm type = "LArNeutrinoProperties">
  <NeutrinoPfoListName>NeutrinoParticles3D</NeutrinoPfoListName>
</algorithm>

<!-- Track and shower building -->
<algorithm type = "LArTrackParticleBuilding">
  <PfoListName>TrackParticles3D</PfoListName>
  <VertexListName>DaughterVertices3D</VertexListName>
</algorithm>

<!-- Output list management -->
<algorithm type = "LArPostProcessing">
  <PfoListNames>NeutrinoParticles3D TrackParticles3D ShowerParticles3D</PfoListNames>
  <VertexListNames>NeutrinoVertices3D DaughterVertices3D CandidateVertices3D</VertexListNames>
  <ClusterListNames>ClustersU ClustersV ClustersW TrackClusters3D ShowerClusters3D</ClusterListNames>
  <CaloHitListNames>CaloHitListU CaloHitListV CaloHitListW CaloHitList2D</CaloHitListNames>
  <CurrentPfoListReplacement>NeutrinoParticles3D</CurrentPfoListReplacement>
</algorithm>

<algorithm type = "LArVisualMonitoring">
  <ShowCurrentPfos>true</ShowCurrentPfos>
  <ShowDetector>true</ShowDetector>
</algorithm>
</pandora>

```

Visualize the final reconstructed particles

Run Pandora once again!

```

$ cd $MRB_TOP/reco/work
$ lar -c event_display_driver.fcl -s reco_1mu1p.root -n 1

```

- After the event display has loaded press Return ↵ seven times, to skip through parts 1-4

The final outcome

WARWICK


Expand all of the menus again to see what we now have

The PFOs are now arranged in a hierarchy! The top-level PFO has PDG code = 14 $\Rightarrow \nu_\mu$

The neutrino PFO has 2 daughter PFOs which each have clusters of 2D & 3D hits

The PFOs have been classified once more as track-like (assigned PDG 13) or shower-like (assigned PDG 11 – none here)

Every PFO has a vertex this is the reconstructed start position



When you are finished, press Return ↵ to close the event display

Secondary particles - a different event

Please note, this is now the final outcome of a different event


In this event, the proton undergoes a secondary interaction

This has been reconstructed as a new PFO, and has been added as a child of the proton PFO!

Neutrino PFO

Proton PFO
(Child of neutrino)

Proton PFO
(Child of proton)



Parent-child link is made between proton and the particle from its secondary interaction

Got spare time?

Run your FHiCL file again over multiple events
Do you understand what Pandora is doing in each of the steps?